



TOWN COUNCIL – AGENDA REQUEST FORM

THIS FORM WILL BECOME PART OF THE BACKGROUND INFORMATION USED BY THE COUNCIL AND PUBLIC

Please submit Agenda Request Form, including back up information, 8 days prior to the requested meeting date. **Public Hearing requests must be submitted 20 days prior to requested meeting date to meet publication deadlines** (exceptions may be authorized by the Town Manager, Chairman/Vice Chair).

MEETING INFORMATION

Date Submitted: October 27, 2023 Date of Meeting: November 16, 2023
Submitted by: Public Works Director Dawn Tuomala
Department: Public Works Time Required: 10 minutes
Speakers: Dawn Tuomala Background Info. Supplied: Yes: No:

CATEGORY OF BUSINESS (PLEASE PLACE AN "X" IN THE APPROPRIATE BOX)

Appointment: Recognition/Resignation/Retirement:
Public Hearing: Old Business:
New Business: Consent Agenda:
Nonpublic: Other:

TITLE OF ITEM

Consideration of Changes to Chapter 167, Stormwater Management Standards, of the Merrimack Town Code

DESCRIPTION OF ITEM

The Town Council to consider the acceptance of recommended changes to Chapter 167, Stormwater Management Standards, of the Merrimack Town Code, pursuant to Charter Article V.

REFERENCE (IF KNOWN)

RSA: Warrant Article: _____
Charter Article: V Town Meeting: _____
Other: N/A

EQUIPMENT REQUIRED (PLEASE PLACE AN "X" IN THE APPROPRIATE BOX)

Projector: Grant Requirements:
Easel: Joint Meeting:
Special Seating: Other:
Laptop: None:

CONTACT INFORMATION

Name: Dawn Tuomala Address: 6 Baboosic Lake Road
Phone Number: 603-424-5137 Email Address: dtuomala@merrimacknh.gov

APPROVAL

Town Manager: Yes No: Chair/Vice Chair: Yes No:

Chapter 167

STORMWATER MANAGEMENT STANDARDS

[HISTORY: Adopted by the Town Council of the Town of Merrimack 7-21-2011; amended in its entirety 12-7-2017. Subsequent amendments noted where applicable.]

GENERAL REFERENCES

Waterlines — See Ch. 81.

Sewer use — See Ch. 158.

§ 167-1 Purpose & Intent

~~[The purpose of this chapter is to protect water quality in the Town of Merrimack (Town).]~~

[The Purpose is to protect water quality in the Town of Merrimack while providing for the health, safety and general welfare of the citizens of Merrimack. The intent is to protect the local natural resources of Merrimack by establishing and enforcing the minimum pre-construction, post construction and reconstruction stormwater management and design control standards in a Stormwater Management program.]

§ 167-2 Definitions

As used in this chapter, the following terms shall have the meanings indicated:

- A. BEST MANAGEMENT PRACTICE (BMP) — As set forth in the New Hampshire Stormwater Manual, a proven or accepted structural, nonstructural or vegetative measure which reduces the quantity or improves the quality of stormwater runoff.
- B. DISTURBANCE — Any construction, land altering or grading activities, other than for agricultural practices.
- C. ENVIRONMENTAL PROTECTION AGENCY (EPA) — The Federal agency responsible for implementing the Federal Water Pollution Control Act.
- D. EROSION — Detachment or movement of soil or rock fragments by water, wind or ice.
- E. **[EROSION CONTROL — The prevention or reduction of the movement of soil particles or rock fragments due to stormwater runoff]**
- F. **[HEALTH OFFICIAL — (For the purposes of EPA MS4 Permit), an appointed official who enforces and investigates all health complaints. Administrative Code A198-12, RSA 128:1, RSA 128:5, RSA 147:1, RSA 147:3, RSA 147:4 and RSA 149-I]**
- G. **[MUNICIPAL SEPARATE STORM SEWER SYSTEM (MS4) — Are publicly owned and operated facilities by which stormwater is collected including but not limited to roads with drainage systems, municipal streets, catch basins, curbs, gutters, ditches, man-made channels or storm drains, piped storm drains, pumping facility retention or detention basins, reservoir or other drainage structure that discharges to the waters of the State of New**

****MARKED UP VERISON****

STORMWATER MANAGEMENT STANDARDS

Hampshire or the United States.]

- H. **[NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES) — The water quality program, as part of the Clean Water Act, implemented by the EPA to control the discharge of pollutants into surface waters of the United States.]**
- I. NEW HAMPSHIRE STORMWATER MANUAL — Reference guide prepared by the New Hampshire Department of Environmental Services to manage stormwater, which, unless expressly exempted by the Town, shall include any and all amendments adopted subsequent to the enactment of these standards.
- J. **[NON-STORMWATER DISCHARGE — Discharge to the municipal storm drain system not composed entirely of stormwater.]**
- K. **[OPERATION AND MAINTENANCE PLAN — A plan setting up the future responsible parties along with the functional, financial and organizational mechanisms for the ongoing operation and maintenance of a stormwater management system to insure that it continues to function as designed.]**
- L. **[OUTFALL – The point at which stormwater flows out from a point source discernible, confined and discrete conveyance into waters of New Hampshire or of the United States.]**
- M. **[OWNER — A person with a legal or equitable interest in the property.]**
- N. **[PRE-CONSTRUCTION — All activity in preparation for construction.]**
- O. **[POLLUTANT — Any element or property of sewage, agricultural, industrial or commercial waste, runoff, leachate, heated effluent or other matter, whether originating at a point or nonpoint source, that is or may be introduced into any sewage treatment works or waters of the State of New Hampshire or the United States.]**
- P. PROJECT AREA — Disturbed area plus any area with associated off-site improvements.
- Q. RESPONSIBLE PARTY — Entity responsible for submitting a SWMP such as the owner, developer, applicant or owner's legally designated representative. This requirement is to be transferred with the property and is to remain with the title of the property in perpetuity.
- R. RUNOFF – Water that is not absorbed, evaporated or otherwise stored within the contributing drainage area.
- S. SEDIMENT — Mineral or organic matter transported or deposited by water or air.
- T. STORMWATER MANAGEMENT PLAN (SWMP) — A plan, required by the Town, which manages stormwater runoff through site design, pollutant source controls, structural BMPs and construction phase practices. [The plan also designates the owner is the responsible party in perpetuity.]
- U. **[STORMWATER POLLUTION PREVENTION PLAN (SWPPP) — A plan,**

****MARKED UP VERISON****

MERRIMACK CODE

required by the Town, from a person or business to identify sources of pollution or contamination at a site and to eliminate or reduce pollutant discharges of the Stormwater Runoff through site design, pollutant source controls, structural BMPs and construction phase practices.]

- V. [STORMWATER RUNOFF — Any water coming from rainfall, snowmelt or irrigation systems etc. that is not absorbed, evaporated or otherwise stored within the contributing drainage area.]
- W. [WATER QUALITY STANDARDS (WQS) — Defines the water quality goals of a water body by designating the use or uses of the water and by setting criteria necessary to protect the uses. NH and EPA have adopted WQS through the “303(d)” list to protect public health and welfare, enhancing the quality of water and serve the purposes of the Clean Water Act (CWA). See also the NHDES – Alteration of Terrain Regulations (Chapter Env-Wq 1500 of the New Hampshire Code of Administration) for specific requirements.]

[§ 167-3 Regulations]

[The Town Council may adopt, and periodically amend this Stormwater Chapter 167 pursuant to Town Charter Article 5 by majority vote after conducting a public hearing to receive comments.]

[§ 167-4 Severability]

[The provisions of this bylaw are hereby declared to be severable. If any provision, paragraph, sentence or clause of this bylaw or the application thereof to any person, establishment or circumstances shall be held invalid such invalidity shall not affect the other provisions or application of this bylaw.]

[§ 167-5 Transitional Provisions]

[Residential property owners shall have 60 days from the effective date of this bylaw to comply with its provisions provided good cause is shown for the failure to comply during that period.]

[§ 167-6 Requirements for Stormwater Management]

A. Applicability

- 1. Prior to disturbance, the responsible party shall submit a [Stormwater Management Plan (SWMP)] to the Community Development Department (CDD) for any tract(s) of land that results in a total disturbance of 20,000 or more square feet of land. [The SWMP must contain the operation and maintenance requirements as well as pre and post construction management requirements. The SWMP must be issued and approved prior to construction.]

B. Stormwater Management Plan (SWMP) Requirements

****MARKED UP VERISON****

STORMWATER MANAGEMENT STANDARDS

1. **[Construction Stormwater Pollution Prevention Plan (SWPPP). Prior to land disturbance the responsible party must develop the SWPPP that will include Construction Stormwater Management and a Draft Operations and Maintenance Plan, including but not limited to the following:]**
 - a. **[General Construction Permit. Documentation of the EPA Construction General Permit (CGP) Notice of Intent (NOI) if applicable.]**
 - b. Design standards. Design of **[temporary construction]** erosion and sediment control BMPs **[and permanent water quality treatment BMPs]** shall be in accordance with, at a minimum, the design guidance set forth in the New Hampshire Stormwater Manual, which are hereby incorporated by reference.
 - c. Pre-construction meeting. Responsible party and its engineer or technical representative shall attend a mandatory pre-construction meeting with the CDD and the Department of Public Works (DPW) at least two weeks prior to commencement of disturbance. Two copies of the SWMP shall be provided at that time. All documents shall bear the seal and signature of a New Hampshire registered professional engineer (PE).
 - d. Responsibility. The responsible party shall install, inspect, report, operate and maintain all stormwater management and erosion control measures required by these standards. **[The responsible party must have qualified personnel perform these measures.]**
 - e. Bonding. A bond or other security shall be provided in an amount, with surety conditions satisfactory to CDD and DPW, for construction and installation of control measures.
 - f. Site development commencement. Development shall not commence before the SWMP receives approval from CDD and DPW. All BMPs must be installed in accordance with the approved **[SWPPP.]**
 - g. Reporting. A log and report must be submitted to CDD each week and within 24 hours of any storm event with greater than 0.5 inches of rainfall. Reports shall detail all inspections, actions taken per the SWMP, dates of action and follow-up action required.
- C. **[Post-Construction Stormwater Management. Upon completion of construction, installation of all permanent site stabilization and water quality BMPs, and removal of temporary erosion and sediment control BMPs, the responsible party must follow the post construction stormwater management requirement as described in the SWMP. The SWMP must include provisions for the following including but not limited to:]**
 1. Post-construction meeting. The responsible party and its engineer or technical representative shall attend a post-construction meeting with CDD and DPW.
 2. **[Operation and Maintenance Plan. The SWMP shall include a detailed Operation and Maintenance Plan of the permanent stormwater management and erosion control measures.]**
 3. Responsibility. The responsible party shall inspect, operate, maintain and

****MARKED UP VERISON****

MERRIMACK CODE

[report on,] any post-construction stormwater management and erosion control measures. [This requirement is to run with the title of the property in perpetuity.]

4. **[Ongoing Reporting. Each SWMP shall require post construction annual or biannual] site inspections by the responsible party that shall be documented and, at a minimum, include review of stormwater flow paths, accumulation of any sediment, condition of contaminant control devices, stormwater quality observations, [maintenance performed,] corrective actions and time frames. All records of the inspections shall be submitted to CDD.**
5. **[Bond release requirements:]**
 - a. **[Record of ongoing inspection and operational maintenance requirements for water quality measures required by the SWMP shall be a condition of bond release and/or certificate of occupancy (if applicable).]**
 - b. **[Record of Construction General Permit Notice of Termination (NOT) if applicable.]**
 - c. **[Attendance by the responsible party at a post-construction meeting.]**
 - d. **[As-built plans bearing the seal and signature of a New Hampshire registered PE.]**
 - e. **[Approval of the bond release for compliance with these requirements as determined in the sole respective discretion of both CDD and DPW.]**

[§ 167-5 § 167-7] Enforcement; violations and penalties

This section may be enforced as set forth in RSA 149-I:6, and to authorize penalties and remedies for enforcement of the provisions of these standards. Any violation of these standards shall be subject to enforcement by either the **[Fire Chief, Health Officer]** or the Planning and Zoning Administrator or their designated agent.

****MARKED UP VERISON****
STORMWATER MANAGEMENT STANDARDS

~~§ 167-6~~ **§ 167-8] Conflicts of law**

Nothing contained herein, or any SWMP granted pursuant hereto, shall be construed to exempt any responsible party from complying with all applicable state or federal laws/regulations. In the event of conflicting requirements, the stricter standard shall apply.

~~§ 167-7~~ **§ 167-9] Waivers**

A waiver of these standards, in whole or in part, may be granted when the strict application of these standards would impose unnecessary hardship because of the unique characteristics of the land including, but not limited to, the size, character, location, nature of use, or other unspecified conditions of the project area. Waivers shall only be granted with approval of both CDD and DPW.

~~§ 167-8~~ **§ 167-10] SWMP validity**

All construction contemplated by the SWMP shall be completed within a period of four years from the date of approval.

Town Council Chair

Date

Town Clerk / Tax Collector

Date

Chapter 167

STORMWATER MANAGEMENT STANDARDS

HISTORY: Adopted by the Town Council of the Town of Merrimack 7-21-2011; amended in its entirety 12-7-2017; and amended in its entirety 11-16-2023.

GENERAL REFERENCES

Waterlines — See Ch. 81.

Sewer use — See Ch. 158.

§ 167-1 Purpose & Intent

The Purpose is to protect water quality in the Town of Merrimack while providing for the health, safety and general welfare of the citizens of Merrimack. The intent is to protect the local natural resources of Merrimack by establishing and enforcing the minimum pre-construction, post construction and reconstruction stormwater management and design control standards in a Stormwater Management program.

§ 167-2 Definitions

As used in this chapter, the following terms shall have the meanings indicated:

- A. **BEST MANAGEMENT PRACTICE (BMP)** — As set forth in the New Hampshire Stormwater Manual, a proven or accepted structural, nonstructural or vegetative measure which reduces the quantity or improves the quality of stormwater runoff.
- B. **DISTURBANCE** — Any construction, land altering or grading activities, other than for agricultural practices.
- C. **ENVIRONMENTAL PROTECTION AGENCY (EPA)** — The Federal agency responsible for implementing the Federal Water Pollution Control Act.
- D. **EROSION** — Detachment or movement of soil or rock fragments by water, wind or ice.
- E. **EROSION CONTROL** — The prevention or reduction of the movement of soil particles or rock fragments due to stormwater runoff
- F. **HEALTH OFFICIAL** — (For the purposes of EPA MS4 Permit), an appointed official who enforces and investigates all health complaints. Administrative Code A198-12, RSA 128:1, RSA 128:5, RSA 147:1, RSA 147:3, RSA 147:4 and RSA 149-I.
- G. **MUNICIPAL SEPARATE STORM SEWER SYSTEM (MS4)** — Are publicly owned and operated facilities by which stormwater is collected including but not limited to roads with drainage systems, municipal streets, catch basins, curbs, gutters, ditches, man-made channels or storm drains, piped storm drains, pumping facility retention or detention basins, reservoir or other drainage structure that discharges to the waters of the State of New Hampshire or the United States.
- H. **NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)** — The water quality program, as part of the Clean Water Act, implemented by

****FINAL CLEAN VERSION****

STORMWATER MANAGEMENT STANDARDS

the EPA to control the discharge of pollutants into surface waters of the United States.

- I. NEW HAMPSHIRE STORMWATER MANUAL — Reference guide prepared by the New Hampshire Department of Environmental Services to manage stormwater, which, unless expressly exempted by the Town, shall include any and all amendments adopted subsequent to the enactment of these standards.
- J. NON-STORMWATER DISCHARGE — Discharge to the municipal storm drain system not composed entirely of stormwater.
- K. OPERATION AND MAINTENANCE PLAN — A plan setting up the future responsible parties along with the functional, financial and organizational mechanisms for the ongoing operation and maintenance of a stormwater management system to insure that it continues to function as designed.
- L. OUTFALL – The point at which stormwater flows out from a point source discernible, confined and discrete conveyance into waters of New Hampshire or of the United States.
- M. OWNER — A person with a legal or equitable interest in the property.
- N. PRE-CONSTRUCTION — All activity in preparation for construction.
- O. POLLUTANT — Any element or property of sewage, agricultural, industrial or commercial waste, runoff, leachate, heated effluent or other matter, whether originating at a point or nonpoint source, that is or may be introduced into any sewage treatment works or waters of the State of New Hampshire or the United States.
- P. PROJECT AREA — Disturbed area plus any area with associated off-site improvements.
- Q. RESPONSIBLE PARTY — Entity responsible for submitting a SWMP such as the owner, developer, applicant or owner's legally designated representative. This requirement is to be transferred with the property and is to remain with the title of the property in perpetuity.
- R. RUNOFF – Water that is not absorbed, evaporated or otherwise stored within the contributing drainage area.
- S. SEDIMENT — Mineral or organic matter transported or deposited by water or air.
- T. STORMWATER MANAGEMENT PLAN (SWMP) — A plan, required by the Town, which manages stormwater runoff through site design, pollutant source controls, structural BMPs and construction phase practices. The plan also designates the owner is the responsible party in perpetuity.
- U. STORMWATER POLLUTION PREVENTION PLAN (SWPPP) — A plan, required by the Town, from a person or business to identify sources of pollution or contamination at a site and to eliminate or reduce pollutant discharges of the Stormwater Runoff through site design, pollutant source controls, structural BMPs and construction phase practices.

****FINAL CLEAN VERSION****

MERRIMACK CODE

- V. STORMWATER RUNOFF — Any water coming from rainfall, snowmelt or irrigation systems etc. that is not absorbed, evaporated or otherwise stored within the contributing drainage area.
- W. WATER QUALITY STANDARDS (WQS) — Defines the water quality goals of a water body by designating the use or uses of the water and by setting criteria necessary to protect the uses. NH and EPA have adopted WQS through the “303(d)” list to protect public health and welfare, enhancing the quality of water and serve the purposes of the Clean Water Act (CWA). See also the NHDES – Alteration of Terrain Regulations (Chapter Env-Wq 1500 of the New Hampshire Code of Administration) for specific requirements.

§ 167-3 Regulations

The Town Council may adopt, and periodically amend this Stormwater Chapter 167 pursuant to Town Charter Article 5 by majority vote after conducting a public hearing to receive comments.

§ 167-4 Severability

The provisions of this bylaw are hereby declared to be severable. If any provision, paragraph, sentence or clause of this bylaw or the application thereof to any person, establishment or circumstances shall be held invalid such invalidity shall not affect the other provisions or application of this bylaw.

§ 167-5 Transitional Provisions

Residential property owners shall have 60 days from the effective date of this bylaw to comply with its provisions provided good cause is shown for the failure to comply during that period.

§ 167-6 Requirements for Stormwater Management

A. Applicability

- 1. Prior to disturbance, the responsible party shall submit a Stormwater Management Plan (SWMP) to the Community Development Department (CDD) for any tract(s) of land that results in a total disturbance of 20,000 or more square feet of land. The SWMP must contain the operation and maintenance requirements as well as pre and post construction management requirements. The SWMP must be issued and approved prior to construction.

B. Stormwater Management Plan (SWMP) Requirements

- 1. Construction Stormwater Pollution Prevention Plan (SWPPP). Prior to land disturbance the responsible party must develop the SWPPP that will include Construction Stormwater Management and a Draft Operations and Maintenance Plan, including but not limited to the following:

****FINAL CLEAN VERSION****

STORMWATER MANAGEMENT STANDARDS

- a. General Construction Permit. Documentation of the EPA Construction General Permit (CGP) Notice of Intent (NOI) if applicable.
 - b. Design standards. Design of temporary construction erosion and sediment control BMPs and permanent water quality treatment BMPs shall be in accordance with, at a minimum, the design guidance set forth in the New Hampshire Stormwater Manual, which are hereby incorporated by reference.
 - c. Pre-construction meeting. Responsible party and its engineer or technical representative shall attend a mandatory pre-construction meeting with the CDD and the Department of Public Works (DPW) at least two weeks prior to commencement of disturbance. Two copies of the SWMP shall be provided at that time. All documents shall bear the seal and signature of a New Hampshire registered professional engineer (PE).
 - d. Responsibility. The responsible party shall install, inspect, report, operate and maintain all stormwater management and erosion control measures required by these standards. The responsible party must have qualified personnel perform these measures.
 - e. Bonding. A bond or other security shall be provided in an amount, with surety conditions satisfactory to CDD and DPW, for construction and installation of control measures.
 - f. Site development commencement. Development shall not commence before the SWMP receives approval from CDD and DPW. All BMPs must be installed in accordance with the approved SWPPP.
 - g. Reporting. A log and report must be submitted to CDD each week and within 24 hours of any storm event with greater than 0.5 inches of rainfall. Reports shall detail all inspections, actions taken per the SWMP, dates of action and follow-up action required.
- C. Post-Construction Stormwater Management. Upon completion of construction, installation of all permanent site stabilization and water quality BMPs, and removal of temporary erosion and sediment control BMPs, the responsible party must follow the post construction stormwater management requirement as described in the SWMP. The SWMP must include provisions for the following including but not limited to:
1. Post-construction meeting. The responsible party and its engineer or technical representative shall attend a post-construction meeting with CDD and DPW.
 2. Operation and Maintenance Plan. The SWMP shall include a detailed Operation and Maintenance Plan of the permanent stormwater management and erosion control measures.
 3. Responsibility. The responsible party shall inspect, operate, maintain and report on, any post-construction stormwater management and erosion control measures. This requirement is to run with the title of the property in perpetuity.
 4. Ongoing Reporting. Each SWMP shall require post construction annual or biannual site inspections by the responsible party that shall be documented

****FINAL CLEAN VERSION****

MERRIMACK CODE

and, at a minimum, include review of stormwater flow paths, accumulation of any sediment, condition of contaminant control devices, stormwater quality observations, maintenance performed, corrective actions and time frames. All records of the inspections shall be submitted to CDD.

5. Bond release requirements:
 - a. Record of ongoing inspection and operational maintenance requirements for water quality measures required by the SWMP shall be a condition of bond release and/or certificate of occupancy (if applicable).
 - b. Record of Construction General Permit Notice of Termination (NOT) if applicable.
 - c. Attendance by the responsible party at a post-construction meeting.
 - d. As-built plans bearing the seal and signature of a New Hampshire registered PE.
 - e. Approval of the bond release for compliance with these requirements as determined in the sole respective discretion of both CDD and DPW.

§ 167-7 Enforcement; violations and penalties

This section may be enforced as set forth in RSA 149-I:6, and to authorize penalties and remedies for enforcement of the provisions of these standards. Any violation of these standards shall be subject to enforcement by either the Fire Chief, Health Officer or the Planning and Zoning Administrator or their designated agent.

****FINAL CLEAN VERSION****

STORMWATER MANAGEMENT STANDARDS

§ 167-8 Conflicts of law

Nothing contained herein, or any SWMP granted pursuant hereto, shall be construed to exempt any responsible party from complying with all applicable state or federal laws/regulations. In the event of conflicting requirements, the stricter standard shall apply.

§ 167-9 Waivers

A waiver of these standards, in whole or in part, may be granted when the strict application of these standards would impose unnecessary hardship because of the unique characteristics of the land including, but not limited to, the size, character, location, nature of use, or other unspecified conditions of the project area. Waivers shall only be granted with approval of both CDD and DPW.

§ 167-10 SWMP validity

All construction contemplated by the SWMP shall be completed within a period of four years from the date of approval.

Authenticated:

Finlay C. Rothhaus, Town Council Chair

Date

Diane Trippett, Town Clerk / Tax
Collector

Date