

TOWN OF MERRIMACK, NH PUBLIC WORKS DEPARTMENT

36 MAST ROAD - P.O. Box 235- MERRIMACK, NH 03054 PHONE: 603-883-8196 - FAX: 603-886-1513 - WWW.MERRIMACKNH.GOV

Resident and Non-Resident Compost Sales Procedures

- 1) The Town of Merrimack, WWTF will sell compost tickets to Merrimack residents with hydraulic vehicles and Non-Residents between the hours of 7:30 am -2:30 pm on Monday to Friday.
- 2) You may purchase compost on Saturday's and Sunday's between the hours of 7:30 am to 2:30 pm but you may only buy one load at a time there are no advanced sales!
- Residents and Non-Residents are encouraged to download the required paper work at <u>www.merrimacknh.gov</u> you may also come to the Main Office Monday – Friday to complete the required paper work.
- 4) We only accept cash (exact Change) and checks, no credit or debit cards
- 5) Fees:
 - a. Resident with a hydraulic vehicle \$5.00 per yard no limit
 - b. Non-Residents\$10.00 per yard, 20 yards maximum per year is sold to residents from the following towns; Amherst, Brookline, Greenville, Hollis, Lyndeborough, Mason, Mont Vernon, Temple, Wilton, Milford.
 - c. All others must call the facility Monday to Friday from $7{:}30\,\text{am}$ to $2{:}30\,\text{pm}$ at $603{-}883{-}8196$
- 6) Once the paper work is completed you will be issued the appropriate number of tickets
- 7) At the loading area present the ticket to the loader operator
- 8) The loader operator will then load your vehicle

Merrimack Wastewater Facility Compost Operational Controls Authorization for Utilization of Composted Biosolids					
COC-F 2.0	Revision – 01	Approval Signature	<u>06/13/2001</u> Date of Approval	Page 4 of 6	

Town of Merrimack, NH Wastewater Treatment Facility Authorization for Utilization of Composted Biosolids

In February 1993 the Environmental Protection Agency (EPA) promulgated new regulations governing sewage sludge or biosolids. A provision in the rule allows for biosolids (compost) that meet stringent parameters for heavy metals and pathogens (disease causing organisms) to be distributed with no restrictions on its use. Merrimack compost consistently meets these "clean biosolids" requirements. As such, Merrimack compost can be used as you would any commercially available fertilizer.

The Applicant agrees to accept full responsibility for any damages, physical or health or other, directly or indirectly caused by the picking up or utilization of composted/stabilized biosolids and will in no way hold the Town of Merrimack or its agents responsible for any and all consequences of access to or use of said composted/stabilized sewage biosolids. The Applicant agrees that in the event a third party makes a claim against the Town of Merrimack as a consequence of the use the Applicant makes of the sewage biosolids, the Applicant will indemnify, defend and save harmless the Town of Merrimack for any damages arising out of said claim and shall pay all defense costs.

I. <u>General Information</u>

Sludge is the end-product of the Town's wastewater treatment process and is transformed into compost by the following method:

- 1. Liquid biosolids are dewatered to an average of 20% solids.
- 2. The 20% raw biosolids is then mixed with a bulking agent such as sawdust at a ratio of 2:1.
- 3. The rough mix is then loaded into as many of the 15 cement bays as is needed for the days biosolids production. Each bay is 6'W X 6'H X 220'L.
- 4. A machine (roto-blender) riding on rails above the bays moves and blends the mixture down the bays 12 feet per days. At the end of 21 days, finished compost is discharged and is ready for sale or for giveaway to Town residents.
- 5. During the composting process, air is introduced into the bays by computer controlled blowers. Temperatures are monitored at several points in each bay to insure that the minimum required temperatures are met, (55°C or 131°F for three consecutive days).
- 6. Finished compost is then analyzed for heavy metals, nitrogen content, and pathogen reduction. All information is available for the public inspection and is reported to EPA.

(CONTINUED ON OTHER SIDE)

Merrimack Wastewater Facility Compost Operational Controls Authorization for Utilization of Composted Biosolids					
COC-F 2.0	Revision – 01	Approval Signature	<u>06/13/2001</u> Date of Approval	Page 5 of 6	

II. Landscape Utilization

Compost is extremely useful for turf grass establishment. Incorporation of compost in soils before seeding grass improves the soils organic content, improves growth, and supplies a limited amount of nutrients such as nitrogen and phosphorus. A half-and-half blend of compost and subsoil generally quickens seed germination and needs less water, fertilizer, and lime. Other uses include flowerbeds, as an additive for shrubs and trees, and for top dressing existing lawns.

[If you have any questions, please call the Merrimack Wastewater Treatment Facility at 883-8196]

Арр	olicant's Name (PLEAS	E PRINT)	
Nar	ne of Hauler if other than Applicant		
Add	lress		
Loc	ation of Compost Disposal Site		
Sigi	nature of Applicant Date	Telephone	
# of Fickets	 Resident(Pickup, Trailer or Bins) Issue Free Resident Card. Resident w/hydraulic dump \$5.00/yd. Commercial in Town w/hyd. \$5.00/yd. 	 Out of Town is \$10.00 Out of Town Commercial \$10.00/yd. 	= Total Dollar Amount
	No. Yards \$5.00/yd.	No. Yards \$10.00/yd.	
	YARDS	YARDS	\$

Label: ____

CT, MA, NH & VT AGRESOURCE----THE SOURCE FOR COMPOST 110 BOXFORD RD. ROWLEY, MA 01969 (1-800-313-3320) WWW.AGRESOURCEINC.COM

AGRESOIL COMPOST- Made at the Town of Merrimack N.H. WWTF from a mixture of biosolids and sawdust using in-vessel agitated bed technology producing the most consistent compost in the market place. This compost meets Exceptional Quality Standards for general use in horticultural and agricultural standards and is approved by the following Agencies:

- United States Environmental Protection Agency
- New York State DEC Class I
- MA DEP Type I unrestricted use. Valid: (February 5, 2024 to February 5, 2026)
- New Hampshire DES Sludge Quality Certification NHSQC-9901 Class A for Low Metals
- Valid: (April 15, 2020 to April 15, 2025) (2024 Label)

Application/ Uses	Rates and Methods
ESTABLISHMENT OF NEW TURF OR SOD	Incorporate 1 to 3 inches of AGRESOIL COMPOST into the top 4 to 6 inches of soil (3-9 cu yards/1000sqft).
TORF MAINTENANCE	about 0.7 to 1.0 cubic vard per 1000 square feet) on
	established turf. Core aeration will facilitate incorporation.
PLANTING BEDS	Mix or incorporate 1 to 3 inches AGRESOIL COMPOST into
	the top 4 to 6 inches of soil before planting.
TREE AND SHRUB	Uniformly mix AGRESOIL COMPOST with planting soil at a
PLANTING	rate of about 1 part compost to 4 to 5 parts soil to make backfill mix.

"The rates listed above are general recommendations for use. Existing soil should be tested and a horticultural professional or extension agent consulted regarding application rates for specific uses."

NHDES Requirement::"Any use of biosolids contrary to label recommendations is a violation of NH law."

MA DEP Requirements: Compost shall be stored in conformance with 310 CMR 32.30 in such a manner as to not create or threaten to create: 1.) a nuisance or 2.) a threat to public health, or 3.) a threat to the environment. "This product contains molybdenum. Under certain site conditions, if used on soils growing crops that will be used to feed ruminant animals (*e.g.*, cattle, sheep and goats) there is a small risk that molybdenosis could occur. This risk is greater for alkaline stabilized biosolids. Animal managers are advised to refer to additional information on the site conditions of concern and management options at (<u>http://www.mass.gov/eea/docs/dep/water/wastewater/a-thru-n/mobiosolids.pdf</u>)". This product is not alkaline stabilized.

AVERAGE METALS ANALYSIS (2023)		AVERAGE NUTRIENT ANALYSIS (2023)	
ARSENIC	4.66 mg/kg	AMMONIA NITROGEN	1.10 %
CADMIUM	1.09 mg/kg	TKN	3.76 %
CHROMIUM	11.9 mg/kg	PHOSPHORUS	0.90 %
COPPER	213 mg/kg	POTASSIUM	0.19 %
NICKEL	10.4 mg/kg	TOTAL ORGANIC NITROGEN	2.65 %
MERCURY	0.18 mg/kg		
LEAD	9.77 mg/kg	TOTAL SOLIDS	67 %
MOLYBDENUM	4.54 mg/kg		
SELENIUM	4.30 mg/kg		
ZINC	466 mg/kg		

"This compost is sold as soil amendment and not a fertilizer. The above table is for informational and regulatory purposes only. Due to the nature of the product the analysis is not guaranteed."

The Town of Merrimack NH, WWTF, PO Box 235 Merrimack NH 03054 (603-883-8196)



Requirements For the Use of Sludge-Based, Class A Biosolids June 16, 2005

Any person who intends to use compost or other class A biosolids derived from municipal wastewater sludge must use such material in accordance with the requirements of rules adopted by the New Hampshire Department of Environmental Services under Env-Ws 810. The rules are few and simple to follow for those wishing to utilize class A products to establish a new landscape or to enhance an existing one. For those who choose to use class A materials on a broader scale, such as blending topsoil for sale, or in agricultural settings where the area exceeds 5 acres, there are additional requirements. Below are the rules that must be observed when using class A biosolids derived from sludge:

- The rate of application should not exceed the rate recommended on the label provided with the class A biosolids;
- Class A biosolids should not be applied within 35 feet of a pond, stream, lake, or river;
- Land application of Class A biosolids must comply with the requirements of RSA 483, the Rivers Management and Protection Act. Specifically, applications should be setback 250 feet from a designated river and immediately incorporated within ¹/₄ mile of a designated river. For information on the Rivers Management and Protection Act see the DES website (<u>http://des.nh.gov/factsheets/r&l/rl-2.htm</u>).
- For a person(s) planning to use class A biosolids on a area of more than five acres or for topsoil blending or manufacturing, the following rules apply:
 - Stockpiles of stored biosolids should be maintained to minimize the amount of water running into and through the stockpile; and
 - A nutrient recommendation from UNH Cooperative Extension (Tom Buob, 787-6944) must be obtained and followed during application of the biosolids.

For additional information, please contact the Residuals Management Section of the Department of Environmental Services at (603) 271-2818 or (603) 271-3503.

H:\Septage& Sludge\SLUDGE\SQC\Requirements for Class A use.DOC